RS stock numbers : 756-4132, 756-4141, 869-7618





SSF215 Series

Long reach external mount via 1/2"NPT



- Available with flying lead or M12 plug connection
- Float material SS 316, stem material SS 304
- External mount via 1/2"NPT thread, so does not require access to the inside of the tank for fitting.
- N/O or N/C switching action



Technical Specification

Mounting style	External	Cable length - standard 100cm or plug
Mounting thread	1/2"NPT	Cable size 17/0.10 - AWG22
Float & Stem material	316/304 grade SS	Cable conductor material Tinned copper
Maximum Temperature	120°C	Cable sheath material Teflon
Maximum pressure	10 bar	Cable temperature rating 200°C
Float SG	0.7	Tightening torque should be adequate
Minimum fluid SG	0.8	to ensure a good seal

Electrical Specification

Contact Form		N/O (N/C)	
Switching Power Max	VA	50	
Switching Voltage AC Max	V	300	
Switching Voltage DC Max	V	300	
Switching Current Max	A	0.5	
All ratings are for resistive	load only.		

RS Stock No	Standard Parts	Stem Material	Float Material	Connection
756-4132	SSF215X100	SS304	SS316	100cm Teflon AWG 22
756-4141	SSF215XPM12	SS304	SS316	M12 Plug connection
869-7618	SSF215XPL	SS304	SS316	DIN43650

1/2"NPT

Custom versions can be made for particular applications. Please contact Cynergy3 with your requirements.

The SSF215 series of floatswitches are externally mounted horizontal switches. This series has an extended reach to provide a solution for extra thick tank walls or for mounting in welded on 1/2"NPT bosses.

The 1/2"NPT thread enables the switches to be fitted through the wall of a tank from the outside, so does not require access to the inside of the tank.

The floatswitch can be fitted to achieve either N/O (make on rise) or N/C (make on fall) switching action by simply rotating the switch through 180°.

Mechanical Dimensions Lead Wire 1000 mm Ø17x47 47 62 120 1/2"NPT 24Hex Plug connections 14 Ø17x47 47 62 1205 2-pole 24Hex Plug/socket 1/2"NPT 15 33.5 37 Ø17x47 47 62 120 5 Cable Gland 6mmmax.

www.cynergy3.com

Cynergy3 Components Ltd. 7 Cobham Road Ferndown Industrial Estate Wimborne, Dorset BH21 7PE Telephone +44 (0) 1202 897969

Email:sales@cynergy3.com

ISO9001 CERTIFIED